

Safety Data Sheet

Product identifier used on the label: **MAG1 LV MV ATF FS 6G EBOX**

Stock Number: MGN6LV6G

Revision Date: 07-18-2017

Replaces:

1. Identification

Product identifier used on the label: **MAG1 LV MV ATF FS 6G EBOX**
Stock Number: MGN6LV6G

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Automatic Transmission Fluid

Restrictions on use: Uses other than those described above

Name, address, and telephone number
of the chemical manufacturer,
importer, or other responsible party:

Warren Distribution, Inc.
727 S. 13th Street
Omaha, NE 68102

Phone number: +01 (800) 825-1235 +01 (402) 341-9397

E-mail address: sds@wd-wpp.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard
Symbols:



GHS Classification: Acute Toxicity - Inhalation Vapor Category 3
Acute Toxicity - Inhalation Dust / Mist Category 4

Signal Word: Danger

Hazard Statements: Toxic if inhaled; Harmful if inhaled

Precautionary Statements:

Prevention: Avoid breathing dust/fume/gas/mist/ vapors/spray. Use only outdoors or in a well-ventilated area.

Response: If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor. Specific treatment (see Sections 4 - 8 of Safety Data Sheet).

Storage: Store in a well-ventilated place. Keep container tightly closed. Store

Safety Data Sheet

Product identifier used on the label: MAG1 LV MV ATF FS 6G EBOX

Stock Number: MGN6LV6G

Revision Date: 07-18-2017

Replaces:

locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not otherwise classified:

No data available

% unknown toxicity (Oral):

10.10986 % of the mixture consists of ingredient(s) of unknown toxicity.

% unknown toxicity (Dermal):

10.10986 % of the mixture consists of ingredient(s) of unknown toxicity.

3. Composition/information on ingredients

| Chemical Name | Common name and synonyms | CAS # | % |
|--|--------------------------|------------|---------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | No data available | 72623-87-1 | 90 - 99 |
| Mineral oil | No data available | 8012-95-1 | 3 - 7 |

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Eye Contact:

Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

Skin Contact:

Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

Ingestion:

Do not induce vomiting and seek medical attention immediately. Provide medical care provider with this SDS.

Most important symptoms/effects, acute and delayed:

Toxic if inhaled Harmful if inhaled

Indication of immediate medical attention and special treatment needed, if necessary:

Call a poison center/doctor/... Specific treatment (see Sections 4 - 8 of Safety Data Sheet).

Safety Data Sheet

Product identifier used on the label: MAG1 LV MV ATF FS 6G EBOX

Stock Number: MGN6LV6G

Revision Date: 07-18-2017

Replaces:

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical: No data available

Hazardous combustion products: Carbon dioxide, Carbon monoxide

Special protective equipment and precautions for fire-fighters: No data available

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

7. Handling and storage

Precautions for safe handling: Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk product transfer. No data available

Conditions for safe storage, including any incompatibilities:

Safety Data Sheet

Product identifier used on the label: MAG1 LV MV ATF FS 6G EBOX

Stock Number: MGN6LV6G

Revision Date: 07-18-2017

Replaces:

Safe storage conditions: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

| Chemical component | OSHA PEL | ACGIH TLV | ACGIH STEL | IDLH |
|--|-------------------------|---|----------------------|-----------------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ | 5 mg/m ³ | 10 mg/m ³ | No data available |
| Mineral oil | 5 mg/m ³ TWA | 5 mg/m ³ TWA (excluding metal working fluids, highly & severely refined, inhalable fraction) | No STEL | 2500 mg/m ³ IDLH |

Appropriate engineering controls: Use only outdoors or in a well-ventilated area. Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Facilities storing or using this material should be equipped with an eyewash and safety shower.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Avoid breathing dust/fume/gas/mist/ vapors/spray.

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye protection: Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses. Wear goggles and a Face shield.

Skin protection: Wear protective gloves. Inspect gloves for chemical break-through and

Safety Data Sheet

Product identifier used on the label: MAG1 LV MV ATF FS 6G EBOX

Stock Number: MGN6LV6G

Revision Date: 07-18-2017

Replaces:

replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield.

Gloves: Nitrile

Other protective equipment: Wear goggles and a Face shield. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield.

General hygiene conditions: No data available

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid

Color: Brown

Odor: Mild

Odor Threshold: Not determined

pH: No data available

Melting point/freezing point:

Melting Point: No data available

Freezing point: No data available

Initial boiling point and boiling range (°C): 150

Flash Point (°C): 204

Evaporation Rate: No data available

Flammability (solid, gas): No data available

Upper/lower flammability or explosive limits:

Upper flammability or explosive limits: Not established

Lower flammability or explosive limits: Not established

Vapor pressure: No data available

Vapor density: No data available

Safety Data Sheet

Product identifier used on the label: MAG1 LV MV ATF FS 6G EBOX

Stock Number: MGN6LV6G

Revision Date: 07-18-2017

Replaces:

| | |
|---|-------------------|
| Relative density: | 0.84 |
| Solubility(ies): | Negligible |
| Partition coefficient: n-octanol/water: | 3.9 |
| Auto-ignition temperature: | No data available |
| Decomposition Temperature: | Not determined |
| Viscosity: | 28.74 cSt @ 40°C |
| Volatile organic compound (VOC) content and percentage of volatiles: | 0.000000 |

10. Stability and reactivity

Reactivity:

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid (e.g., static discharge, shock, or vibration): Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Incompatible materials: Strong oxidizing agents

Hazardous decomposition products: No data available

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact): Inhalation

Symptoms related to the physical, chemical and toxicological characteristics: Toxic if inhaled Harmful if inhaled

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity: Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.

Skin Contact: This material is estimated to be moderately irritating (Primary Irritation Index is 3.0 - 5.0 [rabbits]). Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.

Safety Data Sheet

Product identifier used on the label: MAG1 LV MV ATF FS 6G EBOX

Stock Number: MGN6LV6G

Revision Date: 07-18-2017

Replaces:

| | |
|--------------------------------|--|
| Absorption: | Likely to be practically non-toxic based on animal data. |
| Inhalation Toxicity: | Toxic if inhaled Harmful if inhaled |
| Eye Contact: | This material is likely to be non-irritating to eyes based on animal data. |
| Sensitization: | No data available |
| Mutagenicity: | No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic. |
| Carcinogenicity: | Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer. |
| STOT-single exposure: | Based on available data, the classification criteria are not met. |
| STOT-repeated exposure: | Based on available data, the classification criteria are not met. |
| Aspiration hazard: | Based on available data, the classification criteria are not met. |
| Other information: | No data available |

Numerical measures of toxicity (such as acute toxicity estimates):

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--|------------------------|---------------------------------|---------------------------------------|
| Mineral oil | | | Inhalation LC50 (4h) Rat 2062 ppm |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | OLD50 Rat > 5000 mg/kg | Dermal LD50 Rabbit > 2000 mg/kg | Inhalation LC50 (4h) Rat 2.18 mg/L |

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

| Chemical Name | OSHA Carcinogen | IARC Carcinogen | NTP Carcinogen |
|---|-----------------|-----------------|----------------|
| There are no components that are known or reported to cause cancer. | | | |

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available): No data available

Safety Data Sheet

Product identifier used on the label: MAG1 LV MV ATF FS 6G EBOX

Stock Number: MGN6LV6G

Revision Date: 07-18-2017

Replaces:

Ecological Toxicity Data:

| Chemical Name | CAS # | Aquatic EC50 Crustacea | Aquatic ERC50 Algae | Aquatic LC50 Fish |
|--|------------|------------------------|---------------------|--------------------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | > 1000 mg/L | No data available | Aquatic LC50 (96h) > 5000 mg/L |

Persistence and degradability: No data available

Bioaccumulative potential: Bioconcentration is not expected to occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

Other adverse effects (such as hazardous to the ozone layer): No data available

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging: Dispose of contents and container in accordance with local/regional/national/international regulations.

Contaminated packaging: Recycle containers whenever possible.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

DOT Basic Description: Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group, if applicable: Not applicable

International carriage of dangerous goods by air (IATA):

Safety Data Sheet

Product identifier used on the label: MAG1 LV MV ATF FS 6G EBOX

Stock Number: MGN6LV6G

Revision Date: 07-18-2017

Replaces:

UN number: Not regulated by IATA
UN Proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group, if applicable: Not applicable

Environmental hazards (e.g., Marine pollutant (Yes/No)): None.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): No data available

Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises: No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status: All components of this material are on the US TSCA Inventory or are exempt.

Regulated Components:

| Chemical Name | CAS # | CERCLA | Sara EHS | Sara 313 | U.S. HAP |
|--|-------------------|--------|----------|----------|----------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | N | N | N | N |
| Mineral oil | 8012-95-1 | N | N | N | N |
| Methacrylate copolymer | Confidential I | N | N | N | N |

| Chemical Name | CAS # | California Prop 65 - Cancer | California Prop 65 - Dev. Toxicity | California Prop 65 - Reprod fem | California Prop 65 - Reprod male |
|--|------------|-----------------------------|------------------------------------|---------------------------------|----------------------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | N | N | N | N |
| Mineral oil | 8012-95-1 | N | N | N | N |

Safety Data Sheet

Product identifier used on the label: MAG1 LV MV ATF FS 6G EBOX

Stock Number: MGN6LV6G

Revision Date: 07-18-2017

Replaces:

| | | | | | |
|------------------------|--------------|---|---|---|---|
| Methacrylate copolymer | Confidential | N | N | N | N |
|------------------------|--------------|---|---|---|---|

| Chemical Name | CAS # | Massachusetts RTK List | New Jersey RTK List | Pennsylvania RTK List | Rhode Island RTK List | Minnesota Hazardous Substance List |
|--|--------------|------------------------|---------------------|-----------------------|-----------------------|------------------------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | N | N | N | N | N |
| Mineral oil | 8012-95-1 | Y | Y | Y | N | Y |
| Methacrylate copolymer | Confidential | N | N | N | N | N |

16. Other information, including date of preparation or last revision.

SDS Prepared by: SGOCHENOUR
Revision Date: 07-18-2017
Revision Number: 6
Reason for revision: Activated by Document Formulation Generation
References: No data available
Other Info: No data available

Disclaimer: This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.