

Safety Data Sheet



Universal Oil Inc.

1 – PRODUCT IDENTIFICATION

PRODUCT NAME: LVOC BRAKEWASH
PRODUCT NUMBER: 10-32-18-22
UN/NA NUMBER: NA1993
COMPANY: UNIVERSAL OIL, INC.
..... 265 JEFFERSON AVE
..... CLEVELAND, OH 44113
..... 216-771-4300 PH
..... 216-771-1845 FX
..... WWW.UNIVERSALOILL.COM
REVISION DATE: 9/11/15

2 – HAZARDS IDENTIFICATION

HEALTH: 2
FLAMMABILITY: 3
REACTIVITY: 0
TOTAL VOC'S: 2.98 LBS/GAL

GHS HEALTH CLASSIFICATIONS:SERIOUS EYE DAMAGE/IRRITATION (2A)
TARGET ORGAN TOXICITY- SINGLE EXPOSURE (3)
NARCOTIC EFFECTS SKIN IRRITATION (2) ASPIRATION
TOXICITY (1)

GHS PHYSICAL CLASSIFICATIONS:.....FLAMMABLE LIQUIDS (2)



GHS SIGNAL WORD: DANGER!

GHS HAZARD STATEMENTS:... H220: CAUSES EYE IRRITATION H225: HIGHLY
FLAMMABLE LIQUID AND VAPOUR MAY CASUE SKIN
IRRITAATION H335: MAY CAUSE RESPIRATORY IRRITATION
H336: MAY CAUSE DROWSINESS OR DIZZINESS H304: MAY
BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

GHS PRECAUTIONARY STATEMENTS:P201: OBTAIN SPECIAL INSTRUCTIONS
BEFORE USE P202: DO NOT HANDLE UNTIL ALL SAFETY
PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD P210:
KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN

Safety Data Sheet

FLAMES AND OTHER IGNITION SOURCES. NO SMOKING. P233: KEEP CONTAINER TIGHTLY CLOSED P240: GROUND AND BOND CONTAINER AND RECEIVING EQUIPMENT. P241: USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING/...] EQUIPMENT. P242: USE NON-SPARKING TOOLS. P243: TAKE ACTION TO PREVENT STATIC DISCHARGES. P261: AVOID BREATHING DUST/FUME/GAS/MIST/VAPOURS/SPRAY. P264: WASH HANDS THOROUGHLY AFTER HANDLING P270: DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT P271: USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA P280: WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION P302+352: IF ON SKIN: WASH WITH SOAP AND WATER P353: RINSE SKIN WITH WATER [OR SHOWER]. P332+313: IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION P337+313: IF EYE IRRITATION PERSISTS GET MEDICAL ADVICE/ATTENTION P301+310: IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN P331: DO NOT INDUCE VOMITING P312: CALL A POISON CENTER/DOCTOR/...IF YOU FEEL UNWELL. P360: RINSE IMMEDIATELY CONTAMINATED CLOTHING AND SKIN WITH PLENTY OF WATER BEFORE REMOVING CLOTHES P304+341: IF INHALED: IF BREATHING IS DIFFICULT, REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING P305+351+338: IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO – CONTINUE RINSING P342+311: IF EXPERIENCING RESPIRATORY SYMPTOMS: CALL A POISON CENTER OR DOCTOR/PHYSICIAN P370+378: IN CASE OF FIRE: USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE FOR EXTINCTION. P404: STORE IN A CLOSED CONTAINER P403+P235+P233: STORE IN A WELL VENTILATED PLACE. KEEP COOL. KEEP CONTAINER TIGHTLY CLOSED. P405: STORE LOCKED UP P303+361+353: IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER P501: DISPOSE OF CONTENTS/CONTAINER TO AN APPROPRIATE TREATMENT AND DISPOSAL FACILITY IN ACCORDANCE WITH APPLICABLE LAWS AND REGULATIONS, AND PRODUCT CHARACTERISTICS AT TIME OF DISPOSAL.

3 – COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	PERCENT	CAS NUMBER
ACETONE	52 %	67-64-1
HEPTANE	48%	64742-49-0

Safety Data Sheet

4 – FIRST-AID MEASURES

BREATHING (INHALATION): REMOVE PERSON TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. IF IT IS SUSPECTED THAT GAS OR VAPOR IS STILL PRESENT, THE RESCUER SHOULD WEAR APPROPRIATE MASK OR SELF-CONTAINED BREATHING APPARATUS. IF NOT BREATHING, IF BREATHING IS IRREGULAR OR IF RESPIRATORY ARREST OCCURS, PROVIDE ARTIFICIAL RESPIRATION OR OXYGEN BY TRAINED PERSONNEL, IT MAY BE DANGEROUS TO THE PERSON PROVIDING AID TO GIVE MOUTH-TO-MOUTH RESUSCITATION. GET MEDICAL ATTENTION. IF NECESSARY, CALL A POISON CENTER OR PHYSICIAN. IF UNCONSCIOUS PLACE IN RECOVERY POSITION AND GET MEDICAL ATTENTION IMMEDIATELY. MAINTAIN AN OPEN AIRWAY. LOOSEN TIGHT CLOTHING SUCH AS A COLLAR, TIE , BELT OR WAISTBAND.

SWALLOWING (INGESTION): GET MEDICAL ATTENTION IMMEDIATELY. CALL A POISON CENTER OR PHYSICIAN. WASH OUT MOUTH WITH WATER. REMOVE DENTURES IF ANY. REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. ASPIRATION HAZARD IF SWALLOWED. CAN ENTER LUNGS AND CAUSE DAMAGE. DO NOT INDUCE VOMITING. IF VOMITING OCCURS, THE HEAD SHOULD BE KEPT LOW SO THAT VOMIT DOES NOT ENTER LUNGS. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. IF UNCONSCIOUS, PLACE IN RECOVERY POSITION AND GET MEDICAL ATTENTION IMMEDIATELY. MAINTAIN AN OPEN AIRWAY. LOSSEN TIGHT CLOTHING SUCH AS A COLLAR, TIE, BELT, OR WAISTBAND.

EYES: CHECK FOR AND REMOVE ANY CONTACT LENSES FOR EYES, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR 15 MINUTES AND CALL A PHYSICIAN.

SKIN (DERMAL):..... WASH WITH PLENTY OF SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND SHOES. WASH CONTAMINATED CLOTHING THOROUGHLY WITH WATER BEFORE REMOVING IT, OR WEAR GLOVES. CONTINUE TO RINSE FOR FOR AT LEAST 10 MINUTES. GET MEDICAL ATTENTION. IF NECESSARY, CALL A POISON CENTER OR PHYSICIAN. WASH CLOTHING BEFORE REUSE. CLEAN SHOES THOROUGHLY BEFORE REUSE.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:..... 3 F
AUTOIGNITION TEMP:..... 465 F
EXTINGUISHING MEDIA: WATER FOG OR SPRAY, FOAM, DRY POWDER, CARBON DIOXIDE (CO2).
SPECIAL FIRE FIGHTING PROCEDURES:.....FORMS OR ACCUMULATES STATIC ELECTRICITY, MAY CAUSE FIRE OR EXPLOSION VAPORS

Safety Data Sheet

MAY FORM EXPLOSIVE MIXTURES WITH AIR VAPORS ARE HEAVIER THAN AIR AND MAY SPREAD ALONG FLOORS VAPORS MAY TRAVEL ATO AREAS AWAY FROM WORK SITE BEFORE IGNITINNG/FLASHING BACK TO VAPOR SOURCE IN CASE OF FIRE HAZARDOUS DECOMPOSITION PRODUCTS MAY BE PRODUCED SUCH AS: CARBON MONOXIDE, CARBON DIOXIDE

UNUSUAL FIRE AND EXPLOSION HAZARDS:.....MAY PRODUCE A FLOATING FIRE HAZARD

PROTECTIVE EQUIPMENT:.....FIRE FIGHTERS SHOULD WEAR APPROPRIATE PROTECTIVE EQUIPMENT AND SELF CONTAINED BREATHING APPARATUS (SCBA) WITH A FULL FACE PIECE OPERATED IN POSITIVE PRESSURE MODE HMIS PERSONAL PROTECTION: C: SAFETY GLASSES, GLOVES, AND SYNTHETIC APRON. PERSONAL PROTECTIVE EQUIPMENT FOR THE BODY SHOULD BE SLECTED BASED ON THE TASK BEING PERFORMED AND THE RISKS INVOLVED AND SHOULD BE APPROVED BY A SPECIALSIT BEFORE HANDLING THIS PRODUCT.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:..... SMALL SPILL: STOP LEAK IF WITHOUT RISK. MOVE CONTAINERS FROM SPILL AREA. USE SPARK-PROOF TOOLS AND EXPLOSION PROOF EQUIPMENT. DILUTE WITH WATER AND MOP UP IF WATER SOLUBLE. ALTERNATELY, OF IF WATER-INSOLUBLE, ABSORB WITH AN INERT DRY MATERIAL AND PLACE IN AN APPROPRIATE WASTE DISPOSAL CONTAINER. DISPOSE OF VIA A LICENSED WASTE DISPOSAL CONTRACTOR LARGE SPILL: STOP LEAK IF WITHOUT RISK. MOVE CONTAINERS FROM SPILL AREA. USE SPARK PROOF TOOLS AND EXPLOSION PROOF EQUIPMENT. APPROACH RELEASE FROM UPWIND. PREVENT ENTRY INTO SEWERS, WATER COURSES, BASEMENTS OR CONFINED AREAS. WASH SPILLAGES INTO AN EFFLUENT TREATMENT PLANT OR PROCEED AS FOLLOWS. CONTAIN AND COLLECT SPILLAGE WITH NON-COMBUSTIBLE, ABSORBENT MATERIAL E.G. SAND, EARTH, VERMICULITE OR DIATOMACEOUS EARTH AND PLACE IN CONTANER FOR DISPOSAL CONTAINER. CONTAMINATED ABSORBENT MATERIAL MAY POSE THE SAME HAZARD AS THE SPILLED PRODUCT.

WASTE DISPOSAL: DISPOSE OF ONLY IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS

7 – HANDLING AND STORAGE

HANDLING/STORAGE: ENSURE ALL EQUIPMENT IS ELECTRICALLY GROUNDED BEFORE BEGINNING TRANSFER OPERATIONS METAL CONTAINERS INVOLVED IN THE TRANSFER OF THIS

Safety Data Sheet

MATERIAL SHOULD BE GROUNDED AND BONDED. KEEP CONTAINER TIGHTLY CLOSED IN A COOL, DRY AND WELL VENTILATED PLACE. WEAR PERSONAL PROTECTIVE EQUIPMENT DO NOT SMOKE, SWALLOW, DO NOT BREATHE VAPORS OR SPRAY MIST, AVOID CONTACT WITH SKIN, EYES AND CLOTHING. STORE IN A COOL PLACE AWAY FROM IGNITION SOURCES. PROTECT FROM PHYSICAL DAMAGE. KEEP CONTAINERS TIGHTLY CLOSED IN A DRY, COOL AND WELL VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE. KEEP AWAY FROM HEAT AND SOURCES OF IGNITION. KEEP AWAY FROM DIRECT SUNLIGHT. STORE AWAY FROM INCOMPATIBLE SUBSTANCES. CONTAINER HAZARDOUS WHEN EMPTY. DO NOT PRESURIZE, CUT, WELD, SOLDER, DRILL, GRIND OR EXPOSE CONTAINERS TO HEAT OR SOURCES OF IGNITION.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION
--

RESPIRATORY PROTECTION: RESPIRATORY PROTECTION IS NORMALLY NOT REQUIRED EXCEPT IN EMERGENCIES OR WHEN CONDITIONS CAUSE EXCESSIVE AIRBORNE LEVELS OF MISTS OR VAPORS. USE NIOSH APPROVED RESPIRATORY PROTECTION

PROTECTIVE CLOTHING:..... FIRE FIGHTERS SHOULD WEAR APPROPRIATE PROTECTIVE EQUIPMENT AND SELF CONTAINED BREATHING APPARATUS (SCBA) WITH A FULL FACE PIECE OPERATED IN POSITIVE PRESSURE MODE. HMIS PERSONAL PROTECTION: C: SAFETY GLASSES, GLOVES, AND SYNTHETIC APRON. PERSONAL PROTECTIVE EQUIPMENT FOR THE BODY SHOULD BE SELECTED BASED ON THE TASK BEING PERFORMED AND THE RISKS INVOLVED AND SHOULD BE APPROVED BY A SPECIALIST BEFORE HANDLING THIS PRODUCT.

COMPONENTS	CAS-NO	EXPOSURE LIMITS
ACETONE	67-64-1	OSHA PEL 1000 PPM 2400 MG/M3 ACGIH TLV (8-HOUR) 500 PPM ACGIH STEL 750 PPM
HEPTANE.....	64742-49-0.....	ACGIH TLV TWA 1500 mg/m ³ ACGIH TLV (UNITED STATES) 342 PPM (1400 MG/M ³) 8 HOUR(S) NOTES: THE TLV FOR THE HYDROCARBON SOLVENT IS BASED ON THE PROCEDURE DESCRIBED IN APPENDIX H ("RECIPROCAL CALCULATIONS METHOD FOR CERTAIN REFINED HYDROCARBON SOLVENT VAPORS") OF THE ACGIH TLVS® AND BEIS® GUIDELINES. THE GGMIXTURE (ACGIH TLV) IS BASED ON COLUMN B (MCKEE ET AL., 2005) OF TABLE 1 ("GROUP GUIDANCE VALUES") OF APPENDIX H.

Safety Data Sheet

9 – PHYSICAL / CHEMICAL PROPERTIES

COLOR: CLEAR LIQUID
ODOR:PUNGENT KETONE/ HYDROCARBON
BOILING POINT:..... 135 F
VAPOR PRESSURE:..... NO DATA AVAILABLE
VAPOR DENSITY (AIR=1):..... NO DATA AVAILABLE
SPECIFIC GRAVITY:75 (68 F)
SOLUBILITY IN WATER:..... NOT SOLUBLE
EVAPORATION RATE:..... 4

10 – STABILITY AND REACTIVITY

STABILITY: STABLE UNDER RECOMMENDED STORAGE CONDITIONS
HAZARDOUS DECOMP.:..... MAY FORM EXPLOSIVE PEROXIDES CARBON OXIDES ARE EXPECTED TO BE, UNDER FIRE CONDITIONS, THE PRIMARY HAZARDOUS DECOMPOSITION PRODUCTS
INCOMPATIBILITY: OXIDIZERS OR OXIDIZING MATERIALS. ACIDS, ALDEHYDES, ALKALIS, AMINES, AMMONIA, AND CHLORINE COMPOUNDS
HAZARDOUS REACTIONS:..... VAPORS MAY FORM EXPLOSIVE MIXTURE WITH AIR MAY FORM PEROXIDES OF UNKNOWN STABILITY

11 – TOXICOLOGICAL INFORMATION

ACETONE

ACUTE DERMAL TOXICITY	D50 RABBIT: > 2,000 KG/KG(LITERATURE VALUE)
ACUTE INHALATION TOXICITY	LC50 RAT (4 HOURS): > 20 MG/L (LITERATURE VALUE)
ACUTE ORAL TOXICITY	LD50 RAT: > 2,000 MG/KG (LITERATURE VALUE)
SKIN IRRITATION	(RABBIT) MODERATELY IRRITATING, (LITERATURE VALUE)
EYE DAMAGE/IRRITATION	(RABBIT) IRRITATING, (LITERATURE VALUE)
RESPIRATORY OR SKIN SENSITIZATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	GENOTOXICITY IN VITRO: TYPE: AMES TEST SYSTEM: SALMONELLA TYPHIMURIUM; WITH AND WITHOUT METABOLIC ACTIVATION RESULT: IN VITRO TESTS DID NOT SHOW MUTAGENIC EFFECTS. LITERATURE VALUE) GENOTOXICITY IN VIVO: NO DATA AVAILABLE ASSESSMENT MUTAGENICITY: CLASSIFICATION NOT MET.
REPRODUCTIVE TOXICITY	REPRODUCTIVE TOXICITY: NO DATA AVAILABLE

Safety Data Sheet

ASSESSMENT REPRODUCTIVE TOXICITY NO DATA
AVAILABLE TERATOGENICITY: NO DATA
AVAILABLE ASSESSMENT TERATOGENICITY:NO DATA
AVAILABLE

STOT - SINGLE EXPOSURE THE SUBSTANCE OR MIXTURE IS CLASSIFIED AS SPECIFIC
TARGET ORGAN TOXICANT, SINGLE EXPOSURE,
CATEGORY 3 WITH NARCOTIC EFFECTS

STOT - REPEATED EXPOSURE NO DATA AVAILABLE

ASPIRATION TOXICITY NO DATA AVAILABLE

CARCINOGENICITY ASSESSMENT CARCINOGENICITY: CONTAINS NO
INGREDIENT LISTED AS A CARCINOGEN

HEPTANE

ACUTE DERMAL TOXICITY NO ADDITIONAL INFORMATION.
CAN CAUSE CENTRAL NERVOUS SYSTEM (CNS) DEPRESSION.
ACUTE ORAL TOXICITY MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
IRRITATING TO MOUTH, THROAT AND STOMACH..

ACUTE INHALATION TOXICITY CAN CAUSE CENTRAL NERVOUS SYSTEM (CNS) DEPRESSION.
MAY CAUSE DROWSINESS AND DIZZINESS.CNS DEPRESSANT
AND NARCOSIS AT ELEVATED CONCENTRATIONS.

SKIN IRRITATION NO ADDITIONAL INFORMATION. CAUSES SKIN IRRITATION

EYE DAMAGE/IRRITATION MAY CAUSE EYE IRRITATION.

RESPIRATORY OR SKIN SENSITIZATION NO ADDITIONAL INFORMATION.

GERM CELL MUTAGENICITY NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS

REPRODUCTIVE TOXICITY NO ADDITIONAL INFORMATION.

STOT - SINGLE EXPOSURE CATEGORY 3 NARCOTIC EFFECTS.

STOT - REPEATED EXPOSURE NOT AVAILABLE

ASPIRATION TOXICITY CATEGORY 1 ASPIRATION HAZARD

CARCINOGENICITY NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

Safety Data Sheet

12 – ECOLOGICAL INFORMATION

TOXICITY: ACETONE

FISH	LC50 (ONCORHYNCHUS MYKISS (RAINBOW TROUT)) 96 HOURS: > 100 MG/L; STATIC TEST (LITERATURE VALUE)
AQUATIC INVERTEBRATES	EC50 (DAPHNIA MAGNA (WATER FLEA)) 48 HOURS: > 100 MG/L; STATIC TEST (LITERATURE VALUE)
ALGAE	EC50 (PSEUDOKIRCHNERIELLA SUBCAPITATA (GREEN ALGAE)) 96 HOURS: > 100 MG/L; STATIC TEST (LITERATURE VALUE)
CHRONIC TOXICITY TO AQUATIC INVERTEBRATES	NOEC (DAPHNIA MAGNA (WATER FLEA)) 28 D: > 100 MG/L; FLOW-THROUGH TEST (LITERATURE VALUE)
BIODEGRADATION	READILY BIODEGRADABLE--OECD TEST GUIDELINE 301B (28 D): > 60 % (LITERATURE VALUE)

HEPTANE

FISH	NOT AVAILABLE.
AQUATIC INVERTEBRATES	NOT AVAILABLE.
ALGAE	NOT AVAILABLE.
CHRONIC TOXICITY TO AQUATIC INVERTEBRATES	NOT AVAILABLE.
BIODEGRADATION	READILY

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: DISPOSE OF ONLY IN ACCORDANCE WITH LOCAL, STATE,
AND FEDERAL REGULATIONS

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: COMPOUND, CLEANING LIQUID (FLAMMABLE)
HAZARD CLASS:..... 3
UN/NA NUMBER: NA1993
PACKAGING GROUP : II
RQ 9000 LBS

Safety Data Sheet

15 - REGULATIONS

CONTENTS OF THIS MSDS COMPLY WITH THE OSHA HAZARD COMMUNICATION STANDARD 29CFR 1910.1200

EPA SRA TITLE III CHEMICAL LISTINGS:

EPA INVENTORIES:.....

SARA SECTION 302:

ACETONE THIS MATERIAL IS NOT SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

HEPTANE..... THIS MATERIAL IS NOT SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

SECTION 311/312:

ACETONE FIRE HAZARD", "IMMEDIATE (ACUTE) HEALTH HAZARD"

HEPTANE..... FIRE HAZARD, IMMEDIATE (ACUTE) HEALTH HAZARD

SARA SECTION 313:.....

ACETONE THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

HEPTANE..... THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

STATE REGULATED CHEMICALS:

ACETONE CALIFORNIA PROP 65- NONE

HEPTANE..... MASSACHUSETTS

..... NEW YORK

..... NEW JERSEY

..... PENNSYLVANIA-- THIS PRODUCT IS CITED ON THE ABOVE STATES HAZARDOUS SUBSTANCES LIST

16 – OTHER INFORMATION

ADDITIONAL:..... NO GUARANTEE OR WARRANTY IS PROVIDED OR IMPLIED BY TECHNICAL PRODUCTS, INC. IN THIS RESPECT, SINCE THE USE OF THIS PRODUCT IS WITHIN THE EXCLUSIVE CONTROL OF THE USER, IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE CONDITIONS OF SAFE USE. THIS PRODUCT'S HEALTH AND SAFETY INFORMATION IS PROVIDED TO ASSIST OUR CUSTOMERS IN ASSESSING COMPLIANCE WITH HEALTH, SAFETY AND

Safety Data Sheet

ENVIRONMENTAL REGULATIONS. THE INFORMATION CONTAINED HEREIN IS BASED ON DATA AVAILABLE TO US, AND IS BELIEVED TO BE ACCURATE. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE, AND/OR DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.